

Inspur Intelligent Advertising Machine

Simplify Complexity Crystal-Clear Display



Monitoring Room



Bubble Tea Shop



Coffee Shop




Dining Establishment



Intelligent Vertical Advertising Machine

Intelligent Split-Screen | Remote Distribution | Ultra-HD Display



Multi-Touch Responsive

Supports 10-Point Infrared/Capacitive Touch (Optional)

- Information Inquiry
- Self-Service Navigation
- Shopping Guide
- Product Browsing
- Web Browsing



Customizable Features Multiple Options



- | | | | |
|---------------------|---------------|----------------------|--------------------|
| | | | |
| Ultra-HD | Split-Screen | Auto Power ON/OFF | Wide Viewing Angle |
| | | | |
| Remote Distribution | Responsive | Build-in WiFi | Ultra-Narrow |
| | | | |
| Powerful Processor | LED Backlight | Dual System Optional | High-Quality Audio |






Intelligent Split-Screen

Multiple Split-Screen Modes, Synchronized Video & Image Playback



Scheduled Power On/Off

Time-Segmented Custom Playback & Scheduled Power On/Off




8:00am

18:00pm

Cloud-Enabled Remote Publishing

Cloud Platform For Remote Control And Management of Terminals Across The Country Regions



178°Wide Viewing Angle

Support Multiple Systems

Android/PC Systems Available

Users Can Choose Configurations Based on Their Specific Needs


Android System




PC System




Installation Guide




1 Remove all accessories from the packaging box




2 Place the machine on top of the carton for base assembly



3 Position the base correctly under the machine



4 Secure the base using the provided 12 screws



5 Stand the unit upright to complete installation

43inch



55inch



65inch



75inch



86inch



Product Parameters

Product Model		IG43	IG55	IG65	IGA75	IGA86
Display Parameters	Size	43inch	55inch	65inch	75inch	86inch
	Resolution	1920*1080@60Hz		3840*2160@60Hz		
	Brightness	300 nit	300 nit	300 nit	300 nit	300 nit
	Contrast Ratio	1000:1	1000:1	1000:1	1000:1	1000:1
	Lifetime	≥50000	≥50000	≥50000	≥50000	≥50000
System Configuration	Android	Quad-core A55				
	Computer	I5-6th generation, higher configurations available				
Chassis Design		Aluminum alloy oxidized material, industrial-grade metal shell, surface powder coating				
Network Communication		Supports Ethernet And WIFI, 4G optional				
Touch Method		Infrared / capacitive optional				
Speaker Power		2*5W				
Accessories		Base, power cord, WIFI antenna, remote control, manual/warranty card/certificate of qualification				



Intelligent Wall-Mounted Advertising Display

- Ultra-HD
- Equal-width Bezel
- Ultra-Narrow
- Split-Screen
- Remote Distribution
- Customizable
- Build-in WiFi
- Loop Playback
- 4/5G Optional

Four-Sided Equal Narrow Bezel Design For Free-form Tiling

Ultra-narrow 6mm, Seamless Integration of Screen and Bezel

- 178° Wide Viewing Angle
- Large-Screen with Immersive Impact



Four-Sided Equal Narrow Bezel Design

Flexible Multi-Directional Array Assembly

Engineered to Commercial Standards

Optimized Advertising Impact

Ultra-long-life Design

Presettable Program Playback

Smartphone-Direct Content Push

Remote Distribution

Scheduled Power On/Off

High Brightness Exceptional Uniformity

More Vibrant Colors

4K Ultra High Definition Display

Ultimate Display, Restoring True-to-Life Visuals

- High Brightness Uniformity
- High Contrast
- Low Distortion



Remote Deployment Quick and Effortless


Instant Deployment from Anywhere, Anytime



Flexible Split-Screen Display with Switchable Orientation

Support Diverse Playback Needs

- Multi-Scenario
- Instant Clarity
- Customizable



Supports Landscape/Portrait Wall Mounting, Adaptable to Multiple Scenarios, with Adjustable Image Orientation



Supports Scheduled Playback Auto Power On/Off

All-day Multi-slot Content Programming

- Customizable Playback
- Energy-Efficient Operation
- Automatic Switchover

Seamless Transition, Effortless Operation

8:00
Breakfast Ads



12:00
Lunch Ads



Product Parameters

Product Model		IS32	IS43	IS55	IS65	IS75	IS86	IS98
Display Parameters	Size	32inch	43inch	55inch	65inch	75inch	86inch	98inch
	Resolution	1920*1080@60Hz		3840*2160@60Hz				
	Brightness	300 nit	300 nit	300nit	300 nit	300 nit	300 nit	300 nit
	Contrast Ratio	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1
	Lifetime	≥50000	≥50000	≥50000	≥50000	≥50000	≥50000	≥50000
System Configuration	Android	Quad-core A53		Quad-core A55				
	Computer	I5-6th generation, higher configurations available						

INSPUR INTELLIGENT TERMINAL CO., LTD.

Official Customer Service: +86 531 85105558

Website: <https://en.inspur.com>

Official Email: IITOS@inspur.com

Address: No. 1036, Langchao Road, Gaoxin District, Ji'nan City, Shandong Province



Official Account



Tik Tok
Official Account